

Załącznik 1

Błędy dotyczące rozdziału o WordProcessingML

I.p.	sekcja	wydruk z programu
1	2.2.1	Element type "w:background" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:background" must be followed by either attribute specifications, ">" or "/>".
2	2.2.1	Element type "w:background" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:background" must be followed by either attribute specifications, ">" or "/>".
3	2.3.1.11	cvc-complex-type.3.2.2: Attribute 'w:hspace' is not allowed to appear in element 'w:framePr'. :::
4	2.3.1.11	The prefix "W" for attribute "W:y" associated with an element type "w:framePr" is not bound. Nested exception: The prefix "W" for attribute "W:y" associated with an element type "w:framePr" is not bound.
5	2.3.1.11	cvc-complex-type.3.2.2: Attribute 'w:hspace' is not allowed to appear in element 'w:framePr'. :::
6	2.3.1.17	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
7	2.3.1.27	Code is using curly quotes: continuing
8	2.3.1.28	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
9	2.3.1.30	cvc-complex-type.4: Attribute 'id' must appear on element 'w:rPrChange'. :::
10	2.3.1.31	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
11	2.3.1.31	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
12	2.3.1.31	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
13	2.3.1.31	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
14	2.3.1.33	Element type "w:spacing" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:spacing" must be followed by either attribute specifications, ">" or "/>".
15	2.3.1.4	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
16	2.3.1.42	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
17	2.3.1.5	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
18	2.3.1.7	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
19	2.3.1.8	The element type "w:pPr" must be terminated by the matching end-tag "</w:pPr>". Nested exception: The element type "w:pPr" must be terminated by the matching end-tag "</w:pPr>".
20	2.3.2.17	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:kern'. One of '{ http://schemas.openxmlformats.org/wordprocessingml/2006/main ":szCs, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":highlight, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":u, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":effect, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":bdr, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":shd, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":fitText, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":vertAlign, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":rtl, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":cs, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":em, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":lang, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":eastAsianLayout, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":specVanish, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":oMath, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":rPrChange}' is expected. :::
21	2.3.2.17	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:kern'. One of '{ http://schemas.openxmlformats.org/wordprocessingml/2006/main ":szCs, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":highlight, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":u, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":effect, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":bdr, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":shd, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":fitText, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":vertAlign, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":rtl, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":cs, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":em, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":lang, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":eastAsianLayout, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":specVanish, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":oMath, " http://schemas.openxmlformats.org/wordprocessingml/2006/main ":rPrChange}' is expected. :::
22	2.3.2.24	Code is using curly quotes: continuing
23	2.3.2.24	Code is using curly quotes: continuing
24	2.3.2.24	Code is using curly quotes: continuing
25	2.3.2.24	Code is using curly quotes: continuing
26	2.3.2.24	Code is using curly quotes: continuing
27	2.3.2.24	Code is using curly quotes: continuing
28	2.3.2.24	Code is using curly quotes: continuing
29	2.3.2.26	cvc-complex-type.4: Attribute 'id' must appear on element 'w:rPrChange'. :::
30	2.3.2.27	Code is using curly quotes: continuing

52	2.3.3.3	Code is using curly quotes: continuing
53	2.3.3.3	cvc-complex-type.3.2.2: Attribute 'w:id' is not allowed to appear in element 'w:control'. :::
54	2.3.3.3	cvc-complex-type.3.2.2: Attribute 'w:id' is not allowed to appear in element 'w:control'. :::
55	2.3.3.3	cvc-complex-type.3.2.2: Attribute 'w:id' is not allowed to appear in element 'w:control'. :::
56	2.3.3.7	cvc-complex-type.4: Attribute 'author' must appear on element 'w:del'. :::
57	2.4	Element type "w:left" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:left" must be followed by either attribute specifications, ">" or "/>".
58	2.4.13	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:tr'. One of '{ <a :bookmarkstart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkStart , <a :bookmarkend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkEnd , <a :movefromrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeStart , <a :movefromrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeEnd , <a :movetorangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeStart , <a :movetorangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeEnd , <a :commentrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeStart , <a :commentrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeEnd , <a :customxmlinsrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeStart , <a :customxmlinsrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeEnd , <a :customxmldelrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeStart , <a :customxmldelrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeEnd , <a :customxmlmovefromrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeStart , <a :customxmlmovefromrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeEnd , <a :customxmlmovetorangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeStart , <a :customxmlmovetorangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeEnd , <a :tblpr}<="" a="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main"> is expected. :::
59	2.4.17	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
60	2.4.18	cvc-enumeration-valid: Value 'firstColumn' is not facet-valid with respect to enumeration '[wholeTable, firstRow, lastRow, firstCol, lastCol, band1Vert, band2Vert, band1Horz, band2Horz, neCell, nwCell, seCell, swCell]'. It must be a value from the enumeration. :::
61	2.4.18	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
62	2.4.19	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
63	2.4.20	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
64	2.4.24	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
65	2.4.27	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
66	2.4.3	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
67	2.4.30	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
68	2.4.32	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
69	2.4.33	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
70	2.4.33	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
71	2.4.33	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
72	2.4.33	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
73	2.4.34	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
74	2.4.34	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
75	2.4.34	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
76	2.4.34	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
77	2.4.35	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
78	2.4.35	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
79	2.4.35	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
80	2.4.35	cvc-complex-type.4: Attribute 'val' must appear on element 'w:shd'. :::
81	2.4.36	Element type "w:left" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:left" must be followed by either attribute specifications, ">" or "/>".
82	2.4.4	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
83	2.4.41	The element type "w:tblCellSpacing" must be terminated by the matching end-tag "</w:tblCellSpacing>". Nested exception: The element type "w:tblCellSpacing" must be terminated by the matching end-tag "</w:tblCellSpacing>".
84	2.4.42	The element type "w:tblCellSpacing" must be terminated by the matching end-tag "</w:tblCellSpacing>". Nested exception: The element type "w:tblCellSpacing" must be terminated by the matching end-tag "</w:tblCellSpacing>".
85	2.4.43	The element type "w:tblCellSpacing" must be terminated by the matching end-tag "</w:tblCellSpacing>". Nested exception: The element type "w:tblCellSpacing" must be terminated by the matching end-tag "</w:tblCellSpacing>".
86	2.4.48	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:tblInd'. :::
87	2.4.48	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:tblInd'. :::
88	2.4.49	cvc-enumeration-valid: Value 'auto' is not facet-valid with respect to enumeration '[fixed, autofit]'. It must be a value from the enumeration. :::

89	2.4.50	cvc-enumeration-valid: Value 'auto' is not facet-valid with respect to enumeration '[fixed, autofit]'. It must be a value from the enumeration. ...
90	2.4.54	cvc-enumeration-valid: Value 'column' is not facet-valid with respect to enumeration '[text, margin, page]'. It must be a value from the enumeration. ...
91	2.4.54	cvc-complex-type.3.2.2: Attribute 'w:horizAnchor' is not allowed to appear in element 'w:tblpPr'. ...
92	2.4.54	cvc-complex-type.3.2.2: Attribute 'w:horizAnchor' is not allowed to appear in element 'w:tblpPr'. ...
93	2.4.55	Element type "w:left" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:left" must be followed by either attribute specifications, ">" or "/>".
94	2.4.59	Code is using curly quotes: continuing
95	2.4.60	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:tblPrEx'. One of '{ <a :cnfstyle"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":cnfStyle , <a :divld"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":divld , <a :gridbefore"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":gridBefore , <a :gridafter"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":gridAfter , <a :wbefore"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":wBefore , <a :wafter"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":wAfter , <a :cantsplit"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":cantSplit , <a :trheight"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":trHeight , <a :tblheader"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":tblHeader , <a :tblcellspacing"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":tblCellSpacing , <a :jc"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":jc , <a :hidden"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":hidden , <a :ins"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":ins , <a :del"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":del , <a :trprchange"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":trPrChange is expected. ...
96	2.4.61	cvc-enumeration-valid: Value 'fixed' is not facet-valid with respect to enumeration '[nil, pct, dxa, auto]'. It must be a value from the enumeration. ...
97	2.4.67	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:tr'. One of '{ <a :tblgrid"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":tblGrid is expected. ...
98	2.4.70	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
99	2.4.71	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
100	2.4.74	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
101	2.4.76	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
102	2.4.80	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:r'. One of '{ <a :customxml"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXml , <a :sdtd"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":sdtd , <a :p"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":p , <a :tbl"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":tbl , <a :prooferr"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":proofErr , <a :permstart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":permStart , <a :permend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":permEnd , <a :bookmarkstart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkStart , <a :bookmarkend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkEnd , <a :movefromrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeStart , <a :movefromrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeEnd , <a :movetorangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeStart , <a :movetorangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeEnd , <a :commentrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeStart , <a :commentrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeEnd , <a :customxmlinsrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeStart , <a :customxmlinsrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeEnd , <a :customxmldelrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeStart , <a :customxmldelrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeEnd , <a :customxmlmovefromrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeStart , <a :customxmlmovefromrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeEnd , <a :customxmlmovetorangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeStart , <a :customxmlmovetorangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeEnd , <a :ins"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":ins , <a :del"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":del , <a :movefrom"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFrom , <a :moveto"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveTo , <a :omathpara"="" href="http://schemas.openxmlformats.org/officeDocument/2006/math">http://schemas.openxmlformats.org/officeDocument/2006/math":oMathPara , <a :omath"="" href="http://schemas.openxmlformats.org/officeDocument/2006/math">http://schemas.openxmlformats.org/officeDocument/2006/math":oMath , <a :altchunk"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">http://schemas.openxmlformats.org/wordprocessingml/2006/main":altChunk is expected. ...
103	2.4.82	cvc-enumeration-valid: Value 'fixed' is not facet-valid with respect to enumeration '[nil, pct, dxa, auto]'. It must be a value from the enumeration. ...
104	2.4.83	cvc-enumeration-valid: Value 'fixed' is not facet-valid with respect to enumeration '[nil, pct, dxa, auto]'. It must be a value from the enumeration. ...
105	2.5.1.1	The value of attribute "w:name" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:name" associated with an element type "null" must not contain the '<' character.
106	2.5.1.3	The markup in the document following the root element must be well-formed.
107	2.5.1.4	The markup in the document following the root element must be well-formed.
108	2.5.1.5	The markup in the document following the root element must be well-formed.
109	2.5.1.6	The markup in the document following the root element must be well-formed.
110	2.5.1.9	The markup in the document following the root element must be well-formed.
111	2.5.2.19	cvc-datatype-valid.1.2.1: '01-01-2006T06:30:00Z' is not a valid value for 'dateTime'. ...
112	2.5.2.27	The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>". Nested exception: The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>".
113	2.5.2.29	The element type "w:p" must be terminated by the matching end-tag "</w:p>". Nested exception: The element type "w:p" must be terminated by the matching end-tag "</w:p>".
114	2.5.2.3	cvc-datatype-valid.1.2.1: '01-01-2006T06:30:00Z' is not a valid value for 'dateTime'. ...
115	2.5.2.6	cvc-complex-type.3.2.2: Attribute 'w:prefixMapping' is not allowed to appear in element 'w:dataBinding'. ...
116	2.5.2.6	cvc-complex-type.3.2.2: Attribute 'w:prefixMapping' is not allowed to appear in element 'w:dataBinding'. ...
117	2.5.2.7	cvc-datatype-valid.1.2.1: '01-01-2006T05:30:00Z' is not a valid value for 'dateTime'. ...
118	2.5.2.8	cvc-datatype-valid.1.2.1: '01-01-2006T06:30:00Z' is not a valid value for 'dateTime'. ...
119	2.6.11	cvc-complex-type.4: Attribute 'header' must appear on element 'w:pgMar'. ...
120	2.6.12	cvc-complex-type.3.2.2: Attribute 'chapStyle' is not allowed to appear in element 'w:pgNumType'. ...

121	2.6.12	cvc-enumeration-valid: Value '2' is not facet-valid with respect to enumeration ['decimal, upperRoman, lowerRoman, upperLetter, lowerLetter, ordinal, cardinalText, ordinalText, hex, chicago, ideographDigital, japaneseCounting, aieuo, iroha, decimalFullWidth, decimalHalfWidth, japaneseLegal, japaneseDigitalTenThousand, decimalEnclosedCircle, decimalFullWidth2, aieuoFullWidth, irohaFullWidth, decimalZero, bullet, ganada, chosung, decimalEnclosedFullstop, decimalEnclosedParen, decimalEnclosedCircleChinese, ideographEnclosedCircle, ideographTraditional, ideographZodiac, ideographZodiacTraditional, taiwaneseCounting, ideographLegalTraditional, taiwaneseCountingThousand, taiwaneseDigital, chineseCounting, chineseLegalSimplified, chineseCountingThousand, koreanDigital, koreanCounting, koreanLegal, koreanDigital2, vietnameseCounting, russianLower, russianUpper, none, numberInDash, hebrew1, hebrew2, arabicAlpha, arabicAbjad, hindiVowels, hindiConsonants, hindiNumbers, hindiCounting, thaiLetters, thaiNumbers, thaiCounting']. It must be a value from the enumeration. ...
122	2.6.15	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
123	2.6.2	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
124	2.6.21	cvc-enumeration-valid: Value 'balloons' is not facet-valid with respect to enumeration ['nil, none, single, thick, double, dotted, dashed, dotDash, dotDotDash, triple, thinThickSmallGap, thickThinSmallGap, thinThickThinSmallGap, thinThickMediumGap, thickThinMediumGap, thinThickThinMediumGap, thinThickLargeGap, thickThinLargeGap, thinThickThinLargeGap, wave, doubleWave, dashSmallGap, dashDotStroked, threeDEmboss, threeDEngrave, outset, inset, apples, archedScallops, babyPacifier, babyRattle, balloons3Colors, balloonsHotAir, basicBlackDashes, basicBlackDots, basicBlackSquares, basicThinLines, basicWhiteDashes, basicWhiteDots, basicWhiteSquares, basicWideInLine, basicWideMidline, basicWideOutline, bats, birds, birdsFlight, cabins, cakeSlice, candyCorn, celticKnotwork, certificateBanner, chainLink, champagneBottle, checkedBarBlack, checkedBarColor, checked, christmasTree, circlesLines, circlesRectangles, classicalWave, clocks, compass, confetti, confettiGrays, confettiOutline, confettiStreamers, confettiWhite, cornerTriangles, couponCutoutDashes, couponCutoutDots, crazyMaze, creaturesButterfly, creaturesFish, creaturesInsects, creaturesLadyBug, crossStitch, cup, decoArch, decoArchColor, decoBlocks, diamondsGray, doubleD, doubleDiamonds, earth1, earth2, eclipsingSquares1, eclipsingSquares2, eggsBlack, fans, film, firecrackers, flowersBlockPrint, flowersDaisies, flowersModern1, flowersModern2, flowersPansy, flowersRedRose, flowersRoses, flowersTeacup, flowersTiny, gems, gingerbreadMan, gradient, handmade1, handmade2, heartBalloon, heartGray, hearts, heebieJeebies, holly, houseFunky, hypnotic, iceCreamCones, lightBulb, lightning1, lightning2, mapPins, mapleLeaf, mapleMuffins, marquee, marqueeToothed, moons, mosaic, musicNotes, northwest, ovals, packages, palmsBlack, palmsColor, paperClips, papyrus, partyFavor, partyGlass, pencils, people, peopleWaving, peopleHats, poinsettias, postageStamp, pumpkin1, pushPinNote2, pushPinNote1, pyramids, pyramidsAbove, quadrants, rings, safari, sawtooth, sawtoothGray, scaredCat, seattle, shadowedSquares, sharksTeeth, shorebirdTracks, skyrocket, snowflakeFancy, snowflakes, sombrero, southwest, stars, starsTop, stars3d, starsBlack, starsShadowed, sun, swirligig, tornPaper, tornPaperBlack, trees, triangleParty, triangles, tribal1, tribal2, tribal3, tribal4, tribal5, tribal6, twistedLines1, twistedLines2, vine, waveLine, weavingAngles, weavingBraid, weavingRibbon, weavingStrips, whiteFlowers, woodwork, xIllusions, zanyTriangles, zigZag, zigZagStitch']. It must be a value from the enumeration. ...
125	2.6.21	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
126	2.6.5	cvc-complex-type.3.2.2: Attribute 'w:charSize' is not allowed to appear in element 'w:docGrid'. ...
127	2.6.7	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
128	2.7.3.5	cvc-complex-type.3.2.2: Attribute 'w:defSemiHidden' is not allowed to appear in element 'w:latentStyles'. ...
129	2.7.4.1	The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>". Nested exception: The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>".
130	2.7.4.4	The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>". Nested exception: The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>".
131	2.7.4.5	The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>". Nested exception: The element type "w:rPr" must be terminated by the matching end-tag "</w:rPr>".
132	2.9.10	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:nfc'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main:numFmt', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvlRestart', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:pStyle', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:isLg', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:suff', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtText', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtPicBulletId', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:legacy', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtJc', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:pPr', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:rPr'} is expected. ...
133	2.9.13	cvc-enumeration-valid: Value 'multiLevel' is not facet-valid with respect to enumeration ['singleLevel, multilevel, hybridMultilevel']. It must be a value from the enumeration. ...
134	2.9.18	The element type "w:lvlRestart" must be terminated by the matching end-tag "</w:lvlRestart>". Nested exception: The element type "w:lvlRestart" must be terminated by the matching end-tag "</w:lvlRestart>".
135	2.9.2	The element type "w:abstractNum" must be terminated by the matching end-tag "</w:abstractNum>". Nested exception: The element type "w:abstractNum" must be terminated by the matching end-tag "</w:abstractNum>".
136	2.9.21	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:nfc'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main:numFmt', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvlRestart', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:pStyle', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:isLg', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:suff', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtText', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtPicBulletId', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:legacy', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtJc', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:pPr', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:rPr'} is expected. ...
137	2.9.23	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
138	2.9.6	The element type "w:lvlOverride" must be terminated by the matching end-tag "</w:lvlOverride>". Nested exception: The element type "w:lvlOverride" must be terminated by the matching end-tag "</w:lvlOverride>".
139	2.9.6	cvc-complex-type.3.2.2: Attribute 'w:tplc' is not allowed to appear in element 'w:abstractNum'. ...
140	2.9.7	The element type "w:lvlOverride" must be terminated by the matching end-tag "</w:lvlOverride>". Nested exception: The element type "w:lvlOverride" must be terminated by the matching end-tag "</w:lvlOverride>".
141	2.9.7	cvc-complex-type.3.2.2: Attribute 'w:tplc' is not allowed to appear in element 'w:abstractNum'. ...
142	2.9.8	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:nfc'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main:numFmt', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvlRestart', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:pStyle', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:isLg', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:suff', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtText', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtPicBulletId', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:legacy', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:lvtJc', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:pPr', 'http://schemas.openxmlformats.org/wordprocessingml/2006/main:rPr'} is expected. ...
143	2.10.1	The element type "w:settings" must be terminated by the matching end-tag "</w:settings>". Nested exception: The element type "w:settings" must be terminated by the matching end-tag "</w:settings>".
144	2.10.2	Code is not well-formed XML : org.dom4j.DocumentException: Error on line 2 of document : Open quote is expected for attribute "{1}" associated with an element type "xlns". Nested exception: Open quote is expected for attribute "{1}" associated with an element type "xlns".
145	2.10.5	Code is not well-formed XML : org.dom4j.DocumentException: Error on line 2 of document : Open quote is expected for attribute "{1}" associated with an element type "xlns". Nested exception: Open quote is expected for attribute "{1}" associated with an element type "xlns".
146	2.11.14	cvc-complex-type.3.2.2: Attribute 'w:suppressRef' is not allowed to appear in element 'w:footnote'. ...
147	2.11.21	The element type "w:settings" must be terminated by the matching end-tag "</w:settings>". Nested exception: The element type "w:settings" must be terminated by the matching end-tag "</w:settings>".

148	2.11.22	cvc-enumeration-valid: Value 'endSect' is not facet-valid with respect to enumeration '[sectEnd, docEnd]'. It must be a value from the enumeration. :::
149	2.11.7	cvc-complex-type.3.2.2: Attribute 'w:suppressRef' is not allowed to appear in element 'w:footnote'. :::
150	2.12.1	The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>". Nested exception: The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>".
151	2.12.1	The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>". Nested exception: The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>".
152	2.12.11	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
153	2.12.12	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
154	2.12.13	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
155	2.12.14	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
156	2.12.15	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
157	2.12.16	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
158	2.12.16	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
159	2.12.2	The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>". Nested exception: The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>".
160	2.12.3	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
161	2.12.4	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
162	2.12.6	The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>". Nested exception: The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>".
163	2.12.9	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
164	2.13.4.2	cvc-complex-type.4: Attribute 'author' must appear on element 'w:comment'. :::
165	2.13.4.2	cvc-complex-type.4: Attribute 'author' must appear on element 'w:comment'. :::
166	2.13.4.3	The markup in the document following the root element must be well-formed.
167	2.13.4.4	The markup in the document following the root element must be well-formed.
168	2.13.5.10	cvc-complex-type.4: Attribute 'author' must appear on element 'w:moveFromRangeStart'. :::
169	2.13.5.11	cvc-complex-type.4: Attribute 'author' must appear on element 'w:moveFromRangeStart'. :::
170	2.13.5.14	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:tr'. One of { http://schemas.openxmlformats.org/wordprocessingml/2006/main }:bookmarkStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:bookmarkEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveFromRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveFromRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveToRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveToRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:commentRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:commentRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlInsRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlInsRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlDelRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlDelRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveFromRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveFromRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveToRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveToRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:tblPr} is expected. :::
171	2.13.5.16	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:tr'. One of { http://schemas.openxmlformats.org/wordprocessingml/2006/main }:bookmarkStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:bookmarkEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveFromRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveFromRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveToRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:moveToRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:commentRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:commentRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlInsRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlInsRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlDelRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlDelRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveFromRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveFromRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveToRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:customXmlMoveToRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main }:tblPr} is expected. :::
172	2.13.5.19	cvc-datatype-valid.1.2.1: '20050101T10:00:00Z' is not a valid value for 'dateTime'. :::
173	2.13.5.19	cvc-datatype-valid.1.2.1: '20050101T10:00:00Z' is not a valid value for 'dateTime'. :::
174	2.13.5.23	The markup in the document following the root element must be well-formed.
175	2.13.5.24	The markup in the document following the root element must be well-formed.
176	2.13.5.27	The markup in the document following the root element must be well-formed.
177	2.13.5.28	The markup in the document following the root element must be well-formed.
178	2.13.5.29	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. :::
179	2.13.5.29	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. :::

180	2.13.5.29	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
181	2.13.5.29	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
182	2.13.5.29	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
183	2.13.5.3	cvc-complex-type.3.2.2: Attribute 'w:vmmerge' is not allowed to appear in element 'w:cellMerge'. ...
184	2.13.5.3	cvc-complex-type.3.2.2: Attribute 'w:vmmergeOrig' is not allowed to appear in element 'w:cellMerge'. ...
185	2.13.5.30	The markup in the document preceding the root element must be well-formed.
186	2.13.5.30	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
187	2.13.5.34	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:cols'. ...
188	2.13.5.4	cvc-complex-type.4: Attribute 'author' must appear on element 'w:customXmlDelRangeStart'. ...
189	2.13.5.5	cvc-complex-type.4: Attribute 'author' must appear on element 'w:customXmlDelRangeStart'. ...
190	2.13.5.8	cvc-complex-type.4: Attribute 'author' must appear on element 'w:moveFromRangeStart'. ...
191	2.13.5.9	cvc-complex-type.4: Attribute 'author' must appear on element 'w:moveFromRangeStart'. ...
192	2.13.6.1	The markup in the document following the root element must be well-formed.
193	2.13.6.2	The markup in the document following the root element must be well-formed.
194	2.13.7.1	The markup in the document following the root element must be well-formed.
195	2.13.7.2	The markup in the document following the root element must be well-formed.
196	2.13.8	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:proofErr'. ...
197	2.13.8.1	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:proofErr'. ...
198	2.13.8.1	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:proofErr'. ...
199	2.14.1	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:uniqueTag'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":columnj}' is expected. ...
200	2.14.17	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:mappedName'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":id, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":dynamicAddress}' is expected. ...
201	2.14.18	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:linkToQuery'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":mainDocumentType}' is expected. ...
202	2.14.28	cvc-type.3.1.1: Element 'w:uniqueTag' is a simple type, so it cannot have attributes, excepting those whose namespace name is identical to 'http://www.w3.org/2001/XMLSchema-instance' and whose [local name] is one of 'type', 'nil', 'schemaLocation' or 'noNamespaceSchemaLocation'. However, the attribute, 'w:val' was found. ...
203	2.14.28	cvc-type.3.1.1: Element 'w:uniqueTag' is a simple type, so it cannot have attributes, excepting those whose namespace name is identical to 'http://www.w3.org/2001/XMLSchema-instance' and whose [local name] is one of 'type', 'nil', 'schemaLocation' or 'noNamespaceSchemaLocation'. However, the attribute, 'w:val' was found. ...
204	2.14.28	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:active'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":uniqueTag}' is expected. ...
205	2.14.35	cvc-type.3.1.1: Element 'w:uniqueTag' is a simple type, so it cannot have attributes, excepting those whose namespace name is identical to 'http://www.w3.org/2001/XMLSchema-instance' and whose [local name] is one of 'type', 'nil', 'schemaLocation' or 'noNamespaceSchemaLocation'. However, the attribute, 'w:val' was found. ...
206	2.14.6	cvc-type.3.1.1: Element 'w:uniqueTag' is a simple type, so it cannot have attributes, excepting those whose namespace name is identical to 'http://www.w3.org/2001/XMLSchema-instance' and whose [local name] is one of 'type', 'nil', 'schemaLocation' or 'noNamespaceSchemaLocation'. However, the attribute, 'w:val' was found. ...
207	2.15.1	cvc-enumeration-valid: Value 'dontCompress' is not facet-valid with respect to enumeration '[doNotCompress, compressPunctuation, compressPunctuationAndJapaneseKana]'. It must be a value from the enumeration. ...
208	2.15.1.1	cvc-complex-type.3.2.2: Attribute 'w:optionSet' is not allowed to appear in element 'w:activeWritingStyle'. ...
209	2.15.1.1	cvc-complex-type.4: Attribute 'lang' must appear on element 'w:activeWritingStyle'. ...
210	2.15.1.11	cvc-complex-type.4: Attribute 'header' must appear on element 'w:pgMar'. ...
211	2.15.1.13	cvc-complex-type.4: Attribute 'header' must appear on element 'w:pgMar'. ...
212	2.15.1.16	cvc-enumeration-valid: Value 'upperCase' is not facet-valid with respect to enumeration '[decimal, upperRoman, lowerRoman, upperLetter, lowerLetter, ordinal, cardinalText, ordinalText, hex, chicago, ideographDigital, japaneseCounting, aieuo, iroha, decimalFullWidth, decimalHalfWidth, japaneseLegal, japaneseDigitalTenThousand, decimalEnclosedCircle, decimalFullWidth2, aieuoFullWidth, irohaFullWidth, decimalZero, bullet, ganada, chosung, decimalEnclosedFullstop, decimalEnclosedParen, decimalEnclosedCircleChinese, ideographEnclosedCircle, ideographTraditional, ideographZodiac, ideographZodiacTraditional, taiwaneseCounting, ideographLegalTraditional, taiwaneseCountingThousand, taiwaneseDigital, chineseCounting, chineseLegalSimplified, chineseCountingThousand, koreanDigital, koreanCounting, koreanLegal, koreanDigital2, vietnameseCounting, russianLower, russianUpper, none, numberInDash, hebrew1, hebrew2, arabicAlpha, arabicAbjad, hindiVowels, hindiConsonants, hindiNumbers, hindiCounting, thaiLetters, thaiNumbers, thaiCounting]'. It must be a value from the enumeration. ...
213	2.15.1.16	cvc-enumeration-valid: Value 'On' is not facet-valid with respect to enumeration '[true, false, on, off, 0, 1]'. It must be a value from the enumeration. ...
214	2.15.1.16	cvc-enumeration-valid: Value 'On' is not facet-valid with respect to enumeration '[true, false, on, off, 0, 1]'. It must be a value from the enumeration. ...
215	2.15.1.17	cvc-enumeration-valid: Value 'On' is not facet-valid with respect to enumeration '[true, false, on, off, 0, 1]'. It must be a value from the enumeration. ...
216	2.15.1.18	cvc-enumeration-valid: Value 'dontCompress' is not facet-valid with respect to enumeration '[doNotCompress, compressPunctuation, compressPunctuationAndJapaneseKana]'. It must be a value from the enumeration. ...
217	2.15.1.28 5	Code is not well-formed XML : org.dom4j.DocumentException: Error on line 2 of document : Element type "w:locked" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:locked" must be followed by either attribute specifications, ">" or "/>".
218	2.15.1.35	Code is using curly quotes: continuing
219	2.15.1.35	The element type "w:t" must be terminated by the matching end-tag "</w:t>". Nested exception: The element type "w:t" must be terminated by the matching end-tag "</w:t>".

220	2.15.1.39	The element type "w:rPrChange" must be terminated by the matching end-tag "</w:rPrChange>". Nested exception: The element type "w:rPrChange" must be terminated by the matching end-tag "</w:rPrChange>".
221	2.15.1.47	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:forceUpgrade'. :::
222	2.15.1.6	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:attachedTemplate'. :::
223	2.15.1.64	cvc-complex-type.4: Attribute 'header' must appear on element 'w:pgMar'. :::
224	2.15.1.7	cvc-enumeration-valid: Value 'On' is not facet-valid with respect to enumeration '[true, false, on, off, 0, 1]'. It must be a value from the enumeration. :::
225	2.15.1.77	Code is using curly quotes: continuing
226	2.15.1.77	The element type "w:t" must be terminated by the matching end-tag "</w:t>". Nested exception: The element type "w:t" must be terminated by the matching end-tag "</w:t>".
227	2.15.1.78	cvc-enumeration-valid: Value 'dontCompress' is not facet-valid with respect to enumeration '[doNotCompress, compressPunctuation, compressPunctuationAndJapaneseKana]'. It must be a value from the enumeration. :::
228	2.15.1.8	cvc-enumeration-valid: Value 'On' is not facet-valid with respect to enumeration '[true, false, on, off, 0, 1]'. It must be a value from the enumeration. :::
229	2.15.1.82	Code is not well-formed XML : org.dom4j.DocumentException: Error on line 3 of document : XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
230	2.15.1.82	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
231	2.15.1.90	The element type "w:rPrChange" must be terminated by the matching end-tag "</w:rPrChange>". Nested exception: The element type "w:rPrChange" must be terminated by the matching end-tag "</w:rPrChange>".
232	2.15.2.17	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:frameLayout'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":sz, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":name, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":sourceFileName, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marW, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marH, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":scrollbar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noResizeAllowed, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":linkedToFile}' is expected. :::
233	2.15.2.21	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:divBdr'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":bodyDiv, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marLeft}' is expected. :::
234	2.15.2.21	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
235	2.15.2.32	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:relyOnVML'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotRelyOnCSS, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSaveAsSingleFile, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotOrganizeInFolder, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseLongFileNames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":pixelsPerInch, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":targetScreenSz, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":saveSmartTagsAsXml}' is expected. :::
236	2.15.2.35	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:divBdr'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":bodyDiv, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marLeft}' is expected. :::
237	2.15.2.35	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
238	2.15.2.36	The prefix "st1" for element "st1:stockticker" is not bound. Nested exception: The prefix "st1" for element "st1:stockticker" is not bound.
239	2.15.2.36	The prefix "st1" for element "st1:stockticker" is not bound. Nested exception: The prefix "st1" for element "st1:stockticker" is not bound.
240	2.15.2.4	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:divBdr'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":blockQuote, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bodyDiv, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marLeft}' is expected. :::
241	2.15.2.4	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
242	2.15.2.42	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:divBdr'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":blockQuote, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bodyDiv, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marLeft}' is expected. :::
243	2.15.2.42	The value of attribute "w:space" associated with an element type "null" must not contain the '<' character. Nested exception: The value of attribute "w:space" associated with an element type "null" must not contain the '<' character.
244	2.15.2.5	Code is using curly quotes: continuing
245	2.15.2.6	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:divBdr'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":marRight}' is expected. :::
246	2.15.2.6	The end-tag for element type "p" must end with a '>' delimiter. Nested exception: The end-tag for element type "p" must end with a '>' delimiter.
247	2.15.2.7	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:divBdr'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":blockQuote, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bodyDiv, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":marLeft}' is expected. :::
248	2.15.2.8	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:marTop'. One of '{http://schemas.openxmlformats.org/wordprocessingml/2006/main":marRight}' is expected. :::
249	2.15.2.9	The end-tag for element type "p" must end with a '>' delimiter. Nested exception: The end-tag for element type "p" must end with a '>' delimiter.

250	2.15.3.12	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:dontAutofitConstrainedTables'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabInNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
-----	-----------	--

251	2.15.3.13	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:dontBreakConstrainedForcedTable'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabInNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
-----	-----------	---

252	2.15.3.14	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:dontBreakWrappedTables'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabInNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
-----	-----------	--

253	2.15.3.20	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:useEastAsianBreakRules'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabLNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
254	2.15.3.22	<p>cvc-complex-type.3.2.2: Attribute 'w:numId' is not allowed to appear in element 'w:abstractNum'. :::</p>

255	2.15.3.22	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:dontUseIndentAsNumberingTabStop'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabInNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
-----	-----------	---

256	2.15.3.23	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:dontVertAlignCellWithSp'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabLNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
-----	-----------	--

257	2.15.3.25	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:wrapTextWithPunct'. One of {http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useSingleBorderforContiguousCells, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.wpJustification, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.noTabHangInd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.noLeading, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.spaceForUL, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.noColumnBalance, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.balanceSingleByteDoubleByteWidth, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.noExtraLineSpacing, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotLeaveBackslashAlone, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.ulTrailSpace, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotExpandShiftReturn, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.spacingInWholePoints, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.lineWrapLikeWord6, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.printBodyTextBeforeHeader, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.printColBlack, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.wpSpaceWidth, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.showBreaksInFrames, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.subFontBySize, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.suppressBottomSpacing, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.suppressTopSpacing, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.suppressSpacingAtTopOfPage, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.suppressTopSpacingWP, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.suppressSpBfAfterPgBrk, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.swapBordersFacingPages, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.convMailMergeEsc, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.truncateFontHeightsLikeWP6, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.mwSmallCaps, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.usePrinterMetrics, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotSuppressParagraphBorders, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.wrapTrailSpaces, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.footnoteLayoutLikeWW8, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.shapeLayoutLikeWW8, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.alignTablesRowByRow, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.forgetLastTabAlignment, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.adjustLineHeightInTable, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.autoSpaceLikeWord95, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.noSpaceRaiseLower, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotUseHTMLParagraphAutoSpacing, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.layoutRawTableWidth, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.layoutTableRowsApart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useWord97LineBreakRules, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotBreakWrappedTables, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotSnapToGridInCell, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.selectFldWithFirstOrLastChar, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.applyBreakingRules, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotWrapTextWithPunct, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotUseEastAsianBreakRules, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useWord2002TableStyleRules, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.growAutofit, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useFELayout, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useNormalStyleForList, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotUseIndentAsNumberingTabStop, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useAltKinsokuLineBreakRules, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.allowSpaceOfSameStyleInTable, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotSuppressIndentation, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotAutofitConstrainedTables, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.autofitToFirstFixedWidthCell, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.underlineTabLnNumList, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.displayHangulFixedWidth, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.splitPgBreakAndParaMark, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotVertAlignCellWithSp, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotBreakConstrainedForcedTable, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.doNotVertAlignInTxbx, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.useAnsiKerningPairs, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.cachedColBalance} is expected. :::</p>
258	2.15.3.37	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:'. One of {http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXml, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.smartTag, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.sdt, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.r, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.proofErr, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.permStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.bookmarkStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.bookmarkEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.moveFromRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.moveFromRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.moveToRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.moveToRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.commentRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.commentRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlInsRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlInsRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlDelRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlDelRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlMoveFromRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlMoveFromRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlMoveToRangeStart, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.customXmlMoveToRangeEnd, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.ins, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.del, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.moveFrom, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.moveTo, http://schemas.openxmlformats.org/officeDocument/2006/math:.oMathPara, http://schemas.openxmlformats.org/officeDocument/2006/math:.oMath, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.fldSimple, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.hyperlink, http://schemas.openxmlformats.org/wordprocessingml/2006/main:.subDoc} is expected. :::</p>
259	2.15.3.43	<p>cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:u'. :::</p>
260	2.15.3.47	<p>Element type "w:spacing" must be followed by either attribute specifications, ">" or "/>". Nested exception: Element type "w:spacing" must be followed by either attribute specifications, ">" or "/>".</p>

261	2.15.3.5	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:tr'. One of {<a :bookmarkstart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkStart, <a :bookmarkend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkEnd, <a :movefromrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeStart, <a :movefromrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeEnd, <a :movetorangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeStart, <a :movetorangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeEnd, <a :commentrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeStart, <a :commentrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeEnd, <a :customxmlinsrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeStart, <a :customxmlinsrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeEnd, <a :customxmldelrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeStart, <a :customxmldelrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeEnd, <a :customxmlmovefromrangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeStart, <a :customxmlmovefromrangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeEnd, <a :customxmlmovetorangestart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeStart, <a :customxmlmovetorangeend"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeEnd, <a :tblpr"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":tblPr} is expected. ...</p>
262	2.15.3.62	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:useSingleBorderForContiguousCells'. One of {<a :wpjustification"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, <a :notabhangind"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, <a :noleading"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, <a :spaceforul"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, <a :nocolumnbalance"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":noColumnBalance, <a :balancesinglebytedoublebytewidth"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, <a :noextralinespacing"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, <a :donotleavebackslashalone"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, <a :ultrailspace"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, <a :donotexpandshiftreturn"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, <a :spacinginwholepoints"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, <a :linewraplikeword6"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, <a :printbodytextbeforeheader"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, <a :printcolblack"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, <a :wpspacewidth"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, <a :showbreaksinframes"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, <a :subfontbysize"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, <a :suppressbottomspacing"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, <a :suppresstopspacing"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, <a :suppressspacingattopofpage"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, <a :suppresstopspacingwp"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, <a :suppressspbfafterpgbrk"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, <a :swapbordersfacingpages"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPages, <a :convmailmergeesc"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, <a :truncatefontheightslikewp6"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, <a :mwsmallcaps"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, <a :useprintermetrics"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, <a :donotsuppressparagraphborders"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, <a :wraptrailspaces"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, <a :footnotelayoutlikewww8"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWWW8, <a :shapelayoutlikewww8"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWWW8, <a :aligntablesrowbyrow"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, <a :forgetlasttabalignment"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, <a :adjustlineheightintable"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, <a :autospacelikeword95"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, <a :nospaceraiselower"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, <a :donotusehtmlparagraphautospacing"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, <a :layoutrawtablewidth"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, <a :layouttablerowsapart"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, <a :useword97linebreakrules"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, <a :donotbreakwrappedtables"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, <a :donotsnaptogridincell"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, <a :selectfldwithfirstorlastchar"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, <a :applybreakingrules"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, <a :donotwraptextwithpunct"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, <a :donotuseeastasianbreakrules"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, <a :useword2002tablestylerules"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, <a :growautofit"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, <a :usefelayout"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, <a :usenormalstyleforlist"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, <a :donotuseindentasnumberingtabstop"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, <a :usealtkinsokulinebreakrules"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, <a :allowspaceofsamestyleintable"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, <a :donotsuppressindentation"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, <a :donotautofitconstrainedtables"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, <a :autofittofirstfixedwidthcell"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, <a :underlinetablnnumlist"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTablnNumList, <a :displayhangulfixedwidth"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, <a :splitpgbreakandparamark"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, <a :donotvertaligncellwithsp"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, <a :donotbreakconstrainedforcedtable"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, <a :donotvertalignintxbx"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, <a :useansikerningpairs"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, <a :cachedcolbalance"="" href="http://schemas.openxmlformats.org/wordprocessingml/2006/main">"http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} is expected. ...</p>

263	2.15.3.64	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:useWord97LineBreakingRules'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useSingleBorderforContiguousCells, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpJustification, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noTabHangInd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noLeading, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spaceForUL, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":balanceSingleByteDoubleByteWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noExtraLineSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotLeaveBackslashAlone, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ulTrailSpace, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotExpandShiftReturn, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":spacingInWholePoints, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lineWrapLikeWord6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printBodyTextBeforeHeader, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":printColBlack, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wpSpaceWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":showBreaksInFrames, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subFontBySize, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressBottomSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpacingAtTopOfPage, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressTopSpacingWP, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":suppressSpBfAfterPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":swapBordersFacingPgBrk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":convMailMergeEsc, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":truncateFontHeightsLikeWP6, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":mwSmallCaps, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":usePrinterMetrics, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressParagraphBorders, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":wrapTrailSpaces, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":shapeLayoutLikeWW8, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":alignTablesRowByRow, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":forgetLastTabAlignment, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":adjustLineHeightInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autoSpaceLikeWord95, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noSpaceRaiseLower, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseHTMLParagraphAutoSpacing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutRawTableWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":layoutTableRowsApart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord97LineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakWrappedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSnapToGridInCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":selectFldWithFirstOrLastChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":applyBreakingRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotWrapTextWithPunct, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseEastAsianBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useWord2002TableStyleRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":growAutofit, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useFELayout, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useNormalStyleForList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotUseIndentAsNumberingTabStop, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAltKinsokuLineBreakRules, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":allowSpaceOfSameStyleInTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotSuppressIndentation, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotAutofitConstrainedTables, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":autofitToFirstFixedWidthCell, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":underlineTabLnNumList, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":displayHangulFixedWidth, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":splitPgBreakAndParaMark, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignCellWithSp, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotBreakConstrainedForcedTable, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":doNotVertAlignInTxbx, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":useAnsiKerningPairs, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cachedColBalance} </pre> <p>is expected. :::</p>
264	2.16.10	<p>cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:fldData'. One of</p> <pre>{ "http://schemas.openxmlformats.org/wordprocessingml/2006/main":fldData, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXml, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":smartTag, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":sdt, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":r, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":proofErr, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":permStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":permEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ins, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":del, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFrom, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveTo, "http://schemas.openxmlformats.org/officeDocument/2006/math":oMathPara, "http://schemas.openxmlformats.org/officeDocument/2006/math":oMath, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":fldSimple, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":hyperlink, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subDoc} </pre> <p>is expected. :::</p>

279	2.16.19	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
280	2.16.2	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:fldSimple'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main':rPr, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":br, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":t, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":delText, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":instrText, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":delInstrText, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":noBreakHyphen, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":softHyphen, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":dayShort, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":monthShort, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":yearShort, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":dayLong, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":monthLong, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":yearLong, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":annotationRef, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteRef, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":endnoteRef, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":separator, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":continuationSeparator, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":sym, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":pgNum, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":cr, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":tab, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":object, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":pict, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":fldChar, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ruby, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":footnoteReference, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":endnoteReference, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentReference, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":drawing, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ptab, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":lastRenderedPageBreak} is expected. ...
281	2.16.25	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
282	2.16.25	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. ...
283	2.16.29	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:fldData'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main':fldData, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXml, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":smartTag, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":sdt, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":r, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":proofErr, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":permStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":permEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ins, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":del, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFrom, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveTo, "http://schemas.openxmlformats.org/officeDocument/2006/math":oMathPara, "http://schemas.openxmlformats.org/officeDocument/2006/math":oMath, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":fldSimple, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":hyperlink, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":subDoc} is expected. ...
284	2.16.31	The element type "w:fldChar" must be terminated by the matching end-tag "</w:fldChar>". Nested exception: The element type "w:fldChar" must be terminated by the matching end-tag "</w:fldChar>".
285	2.16.33	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:type'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main':format} is expected. ...
286	2.16.5.32	Content is not allowed in prolog. Nested exception: Content is not allowed in prolog.
287	2.16.6	cvc-complex-type.3.2.2: Attribute 'w:name' is not allowed to appear in element 'w:bookmarkEnd'. ...
288	2.16.8	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:checked'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main':size, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":sizeAuto} is expected. ...
289	2.17.2.1	cvc-complex-type.2.4.a: Invalid content was found starting with element 'w:subDoc'. One of {'http://schemas.openxmlformats.org/wordprocessingml/2006/main":sdt, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":p, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":tbl, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":proofErr, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":permStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":permEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":bookmarkEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFromRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveToRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":commentRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlInsRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlDelRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveFromRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeStart, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":customXmlMoveToRangeEnd, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":ins, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":del, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveFrom, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":moveTo, "http://schemas.openxmlformats.org/officeDocument/2006/math":oMathPara, "http://schemas.openxmlformats.org/officeDocument/2006/math":oMath, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":altChunk, "http://schemas.openxmlformats.org/wordprocessingml/2006/main":sectPr} is expected. ...
290	2.18.10	cvc-enumeration-valid: Value 'dontCompress' is not facet-valid with respect to enumeration '[doNotCompress, compressPunctuation, compressPunctuationAndJapaneseKana]'. It must be a value from the enumeration. ...
291	2.18.103	Code is using curly quotes: continuing
292	2.18.15	cvc-complex-type.3.2.2: Attribute 'w:realDate' is not allowed to appear in element 'w:date'. ...
293	2.18.17	The markup in the document following the root element must be well-formed.
294	2.18.19	The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>". Nested exception: The element type "w:behaviors" must be terminated by the matching end-tag "</w:behaviors>".

295	2.18.20	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
296	2.18.21	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
297	2.18.26	cvc-enumeration-valid: Value 'endSect' is not facet-valid with respect to enumeration '[sectEnd, docEnd]'. It must be a value from the enumeration. :::
298	2.18.3	cvc-complex-type.3.2.2: Attribute 'w:vmmerge' is not allowed to appear in element 'w:cellMerge'. :::
299	2.18.33	cvc-complex-type.3.2.2: Attribute 'w:type' is not allowed to appear in element 'w:fldChar'. :::
300	2.18.39	XML document structures must start and end within the same entity. Nested exception: XML document structures must start and end within the same entity.
301	2.18.42	Code is using curly quotes: continuing
302	2.18.51	Code is using curly quotes: continuing
303	2.18.6	Code is using curly quotes: continuing
304	2.18.7	cvc-datatype-valid.1.2.1: '01-01-2006T06:30:00Z' is not a valid value for 'dateTime'. :::
305	2.18.77	cvc-complex-type.3.2.2: Attribute 'w:val' is not allowed to appear in element 'w:proofErr'. :::
306	2.18.78	Code is using curly quotes: continuing
307	2.18.9	cvc-complex-type.3.2.2: Attribute 'chapStyle' is not allowed to appear in element 'w:pgNumType'. :::

Na podstawie Inigo Surguy, <http://surguy.net/>